Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	22	(compar\$ or check\$ or determin\$) with (size near4 packet) with time with network	USPAT	OR	OFF	2004/11/17 12:40
S28	1	(compar\$ with (size near4 data near4 packet) with time with network)	USPAT	OR	OFF	2004/11/17 12:05
S29	5	(compar\$ with (size near4 data see near4 packet) with time)	USPAT#	OR	OFF	2004/11/17 12:06
S30	1093	709/201:œs.	USPAT	OR	OFF	2004/11/17 12:06
S31		S30 and (compar\$ with (size near4 data) with time)	USPAT	€OR	OFF	2004/11/17 12:07
532	1	S30 and (compar\$ with (size near4 data) and (detect\$ near4 time))	USPAT	OR	OFF	2004/11/17 12:08
-S33 <u>:</u>	0	S30 and ((compar\$ or track\$ or trac\$) with ((size near4 data))and (detect\$ near4 time)))	USPAT#	OR	OFF	2004/11/17 12:09
S34	12	S30 and ((compar\$ or track\$ or trac\$) and ((size near4 data) and (detect\$ near4 time)))	USPAT	OR	OFF	2004/11/17 12:39
\$35	3	(compar\$) with (size near4 packet) :	USPAT 4	OR -	OFF	2004/11/17 12:41
S36	14	(compar\$) with (size near4 packet) with time	USPAT	OR	OFF	2004/11/17 12:41
S37	6	(compars) with (size near4 data)	USPATI = ==	OR	OFF	2004/11/18 16:16
	A CHILL	with (detects near4 time)				
S38	1	"6502135".pn.	USPAT	OR	OFF	2004/11/18 16:27
# \$39	49	("5889273" "6222935" 6222935" "5535127" "5650854" "4285241" "4331864" 4375635" "4388610" "4408163" 4410910" 4415926" "4587617" "4626101" "4803638"	USPAT.	OR Tall 12	OFF	2004/11/18 16:34
		"4862412" "4891602" "4901320 " "4922513" "4929824" "4929844" " "4951038" "4958374" "5025418" " "5189378" "5257311" "5267332" " "5303019" "5323003" "5493123" -				
		""5563916" "5568573"."5638307" "5641919"""5649095" "5651089". "5675404" "5693933""5696843" "5699165" "5710842"):pn				

				1	Τ .	1
S40	98	("5889273" "6222935" "6222935"	USPAT	OR	OFF	2004/11/18 16:27
	!	"5535127" "5650854" "4285241"				
		"4331864" "4375635" "4388610"				
		"4408163" "4410910" "4415926"				
		"4587617" "4626101" "4803638"				
		"4862412" "4891602" "4901320"				
	}	"4922513" "4929824" "4929844"				
		"4951038" "4958374" "5025418"				
		"5189378" "5257311" "5267332"				}
] .	"5303019" "5323003" "5493123"		1	ļ	
	1	"5500725" "5502814" "5515500"		Ì		
	1	"5521634" "5528703" "5530645"	-			·
						,
		"5530834" "5530837" "5546068"				
		"5563916" "5568573" "5638307"				
]		"5641919" "5649095" "5651089"				
		"5675404" "5693933" "5696843"	f			
1	["5699165" "5710842").pn.				•
		("5761338" "5765209" "5787199"				•
		"5798841" "5802078" "5864394"				
j		"5867610" "5894487" "5944849"				•
		"5963563" "5995219" "5999275"				
		"6044326" "6097656" "6101505"		[
		"6131059" "6164550" "6175524"		ĺ		
		"6212249" "6212249" "6275290"				•
		"6287765" "6298086" "6341241"				
		"6351550" "6351551" "6422065"				
			}		-	
Į.	'	"6473665" "6243348" "6453269"	i			
		"5268908" "5930005" "6040896"				
1		"4535428" "4558433" "4577292"				
		"4616347" "4837709" "4918644"				
		"4962500" "5255131" "5428459"				
]	"5477272" "5832235" "5930814"				
		"5959742" "6169544" "6333182"				
		"6403337" "6475753").pn.		,		
	\$990 A. HAR	》。2012年1月20日至10日 - 10日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本		DAKE VII		
S41	0		USPAT T	tor,	OFF	-2004/11/18-16:34-
IN SE		near4 header)) and ("sequence		keja:		
		number or "time stamp") and			AL VALLEY	
		detection and (link or access or				F / 清 / 表 / 表 / 表 / 表 / 表 / 表 / 表 / 表 / 表
		record or log))		Bibliote area	HALL THE	
S42	0		USPAT	O D	OFF	7.004/44/40.4C-20
342	·	S40 and ((compar\$ near7 (packet	USPAI	OR	OFF	2004/11/18 16:30
		near4 header)) and ("sequence				•
	L	number" or "time stamp"))				
+S43	1	S40 and (compar\$ near7 (packet	USPAT =	OR	OFF	2004/11/18-16:30
[日本]		near4 header))				200,17,110,10,10,10,
		and the many of the property of the property of the contribution o	是此時的,然此時	至4四年3月4日		非常更快,这样是管理
S44	16592	"709"/:ccls.	USPAT	OR	OFF	2004/11/18 16:34
S45=±	າ. ຳ ເກັນສາເຄີນ ຄ ຂາວ ໃນໝາຍກາ ວດ ນ	S44 and ((compar\$ near7 (packet	USPAT **	OR H	OFF.	Comparation in Law Law Co. According
373			ようにないまた。		± U [[:::	2004/11/18 16:46
		near4 header)) and ("sequence	医治疗管理	发生工艺		
		number" or "time stamp") and		新型 20 KM 20 24		
		detection and (link or access or	or and the second		EX	
F		record or log))	14年1	3	ray va val	
S46	3	S44 and ((compar\$ near7 (packet	USPAT	OR	OFF	2004/11/18 16:49
5 /6		near4 header)) and ("time stamp")	USFAI		OFF	2007/11/10 10:49
		and detection and (access and				
L	<u> </u>	(record or log)))				

S47	1	S44 and ((compar\$ near7 (packet near4 header)) and ("time stamp")	USPAT	OR	OFF	2004/11/18 16:51
		and detection and (access and (record or (log near3 data))))				
S48	13075	"713"/.ccls.	±USPAT -	OR	OFF	2004/11/18 16:50
S49	7	S48 and ((compar\$ near7 (packet near4 header)) and ("time stamp") and detection and (access and (record or (log near3 data))))	USPAT	OR	OFF	2004/11/18 16:52
\$ 50	2	S44 and ((compars near7 (packet near4 header)) and ("time stamp") and detection and (access and (hackers or attacks or terrorism)))	USPATI	ŌŔ	OFF.	2004/11/18 16:53
S51	2	((compar\$ near7 (packet near4 header)) and ("time stamp")) and (detection near7 (hacker\$ or attack\$ or terrorism))	USPAT	OR	OFF	2004/11/18 16:55
S52	19	((compars_near7 (packet near4 header)) and ((detect near3 time) and "time stamp")) and (securs or detection or protects)	USPAT	OR	OFF	2004/11/18/16:57
S53	0	((compar\$ near7 (packet near4 header)) and ((detect near3 time) and "time stamp")) and ((secur\$ or detection or protect\$) near7 access)	USPAT	OR	OFF	2004/11/18 16:58
-S54	131	((compar\$ near7 (packet near4 header)) and ("time stamp")) and ((secur\$ or detection or protect\$) near7 access)	USPAT	OR	OFF	2004/11/19 13:58
S55	158	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT	OR	OFF	2004/11/19 14:50
S56	20.	S55 and (access and chain and trac\$3)	USPAT	OR.	ŌFF	2004/11/19 14:03
S57	158	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	OFF	2004/11/19 14:02
S58	. 20	S57 and (access and chain and trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	.2004/11/19 14:03

S59	136	(access with chain with trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/11/19 14:04
S60	8	(access near3 chain near3 trac\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:07
S61	0	S59 and ((compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp"))	USPAT	OR	OFF	2004/11/19 14:07
S62	0	S59 and ((compar\$4 or determin\$5) near4 (packet near4 header) and ("time stamp"))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:08
S63	70	S55 and detection and link	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:09
S64	99	(compar\$4 or determin\$5) near4 (packet near4 header) and ("time -stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3) and (trac\$3 or track\$3 or mornitor\$3);	USPAT	ÖR	OFF	-2004/11/19-15:01
S65	71	S64 and detection	USPAT	OR.	OFF	2004/11/19 15:02
S66	42	S65 and "sequence number"	USPAT	‡OR	OFF	2004/11/19-15:02
S67	99	(trac\$3 or track\$3 or mornitor\$3)and (compar\$4 or determin\$5) near4 (data near2 size) and ("time stamp") and (detect\$3 or secur\$3) and (access\$3 or link\$3 or path or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:02
S68	86	S67 and detection	JUSPAT	OR	OFF	2004/11/19 15:02
S69	. 3	S68 and "sequence number"	USPAT	OR	OFF	2004/11/19 15:05
S70	46	compar\$3 near2 (data and packet, and header)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	'.OR⊣	OFF	2004/11/19 15:09
S71	785610	(trac\$3 or track\$3) and (link or access or connect\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:07

S72	24	S71 and S70	USPAT;	OR	OFF	2004/11/19 15:07
		,	USOCR; EPO; JPO; DERWENT; IBM_TDB			
S73	21.	S72 and detection	USPAT;	OR	OFF	2004/11/19 15:07
			; <u>USOCR;</u> EPO; JPO;			
			DERWENT; .IBM_TDB			
S74	1	S73 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:08
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S75	134	compar\$3 near2 (packet near2	USPAT;	-OR	OFF	2004/11/19 15:18
		-ĥeader)	FUSOCR; -EPO; JPO;			
			DERWENT; IBM_TDB			
S76	18	S75 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:09
			USOCR; EPO; JPO; DERWENT; IBM_TDB		-	
S77	13	S76 and detection	USPAT;	OR	OFF	2004/11/19 15:15
			EPO; JPO;			
			DERWENT;			
S78	4	("6515967" "6570867") .pn.	USPAT; USOCR;	OR	OFF	2004/11/19 16:10
			EPO; JPO; DERWENT; IBM_TDB			·
S79	218	access with link with record	USPAT; USOCR;	OR	OFF ‡	2004/11/19 15:18
			EPO; JPO;			
			DERWENT; IBM <u></u> TDB			
S80	0	S79 and (compar\$3 near2 (packet near2 header))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:18
S81	12	S79 and (packet-near2-header)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:19

S82	6	S81 and "time stamp"	USPAT;	OR	OFF	2004/11/19 15:21
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S83		S82 and detection	USPAT; USOCR; EPO;JPO; DERWENT; IBM_TDB	OR THE	OFF	2004/11/19 15:19
S84	0	(detect\$3 or secur\$3) and (hack\$3 or attack\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:23
\$85	0	(detect\$3 or secur\$3) and (access or hack\$3 or attack\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header));and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2004/11/19 15:24
S86	0	(detect\$3 or secur\$3) and (compar\$3 or determin\$3) and ((data near2 size) or (packet near3 header)) and "time stamp\$2"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:24
S87	23466	(detect\$3 or secur\$3) and (compar\$3 or determin\$3) and (data near2 size) or (packet near3 header))	USPAT; USOCR; EPO; JPO; DERWENT; IBM: TDB			2004/11/19 15:24
S88	1792	S87 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:25
S89	919	S88 and (hack\$3 or attack\$3 or access) and detection	USPAT, USOCR; EPO; JPO; DERWENT; IBM_TDB	POR	OFF	2004/11/19 15:25
S90	215	S89 and "sequence number"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:26
S91	17.	S90 and ((link or access) near3 (record or data or table))	USPAT; USOCR; EPO; IPO; DERWENT; IBM_TDB	THE STATE OF THE S	OFF	2004/11/19 15 27

S92	118	S91 and (compar\$3 and calculat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:29
S93	2	09/429643	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:53
594	2	60/106261	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:53
S95	3.	09/955431 09/950128 09/953528 09/953735 09/955730 09/961626	US-PGPUB	OR	OFF	2004/11/19 16:11
S96	4	09/955431 09/950128 09/953528 09/953735 09/955730 09/961626	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 16:12
S97	0	10/827869 10/672342 09/772373	USPAT, USOCR; EPO; JPO; DERWENT, IBM_TDB	OR	OFF	2004/11/19 16:23
S98	3	10/827869 10/672342 09/772373	US-PGPUB	OR	OFF -	2004/11/19 16:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
.L2	4481	709/201,224,225,229.ccls.	USPAT;	OR	OFF	2004/11/22 11:17
			USOCR; EPO; JRO; DERWENT; IBM::TDB			
L3	1777	713/201,153,157,178,160.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:18
14	Ż	I2 and (compar\$3 near3 (packet 다. near3 header))	USPATI: USOCR;# EPO: JPO; DERWENT;	OR:	OFF	2004/11/22 11:26
L5	0	l4 and (size near2 data)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	基礎的 2004/11/22 11:20
16	351	13 and ((detect\$3 or secur\$3) with (attack\$3 or hack\$3))	USPAT; USOCR; ERO; JRO; DERWENT; IBM TOB	OR.	OFF	2004/11/22 11:21.
L7	48	l6 and "time stamp"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:36
-8	5 5	17 and (size near3 data)	USPAT; USOCR: EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/11/22 11:22
L9	0	I4 and I8	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:22
110	O	ld and 17	USPAT; USOCR; EPO: JPO; DERWENT; IBM TDB	© R	OFE	2004/11/22 11:22
L11	2	"6618806".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:36

L12	_ 0	I11 and (packet or header or (data near2 size))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:37
L13	. 0	I11 and (packet or header)	USPAT;	OR	OFF	2004/11/22 11:37
			USOCR; EPO; JPO; DERWENT; IBM_TDB			